



Indorama Ventures Fibers Germany GmbH

Trademark Service

Max-Fischer-Str. 11

86399 Bobingen, Germany

trademarkservice.IVFG@de.indorama.net

Tel. +49 8234 9688 1673

www.indoramaventures.com



Approval of the Trademark Trevira CS®

MARIO SIRTORI S.P.A
via Papa Giovanni XXIII n 10
23845 Costa Masnaga
Italy

Application No.:	260050
Date of issue:	20.02.2026
Valid until:	20.02.2031
Article name:	ESKIMO CS
Color:	GRIGIO
End use:	Upholstery fabrics Bedding
Square weight (g/m²):	660
According to customer specification	
Composition of the raw materials:	100% Polyester
Composition of the fabric:	100% Trevira CS
Yarn:	Warp, 24 / 2 Ne Trevira® Type TREVIRA CS, Weft, 1 / 800 Nm Trevira® Type TREVIRA CS, Weft, 24 / 2 Ne Trevira® Type TREVIRA CS,

The tested article ESKIMO CS with application no. 260050 is granted approval for the trademark Trevira CS® for interior use.

This article was tested according to DIN 4102 part 1, 6.2 and thus also meets the requirements for fire class DIN 4102-B1.

The article meets the requirements according to EN 1021-1 and -2:2014 in conjunction with polyurethan foams with a density of more than 30 kg/m³.

The article meets also the requirements for class 1 according to the Italian Standards UNI 8456 and UNI 8457.

The article meets the requirements according to the Italian standard UNI 9175, class 1 IM in conjunction with suitable combustion modified foams.

INDORAMA
VENTURES

Indispensable Chemistry

Sitz der Gesellschaft / registered office: Bobingen • Amtsgericht / Local Court: Augsburg HRB 24933
Geschäftsführer / Managing Directors: Andreas Borchert (CEO), Sunil Baldi

The article also meets the requirements according to British Standard BS 7175, ignition sources 0, 1 and 5 according to BS 5852 (bedspreads).

The article can meet the requirements of class 1Y according to BS 476: Part 7: 1997 / Surface Spread of Flame.

The article also meets the requirements for class I according to the North American standard NFPA 260 for upholstered furniture (based on the Test Reports no. 10-002-775 A + B dated 24.11.2010).

The article also meets the requirements according to the North American NFPA Life Safety Code 101, class A, Test Standard ASTM E84 Surface Burning Characteristics, Test Report No. 12-002-527, dated August 30, 2012.

The article can meet the requirements according to California TB 117-2013, section 1 - cover fabric.

Indorama Ventures Fibers Germany GmbH
(This document is valid without signature.)

